

Exam.Code:0917
Sub. Code: 6402

2122
B.E. (Computer Science and Engineering)
Fifth Semester
CS-502: Computer Graphics

Time allowed: 3 Hours

Max. Marks: 50

NOTE: Attempt five questions in all, including Question No. 1 which is compulsory and selecting two questions from each Unit.

x-x-x

I. Attempt the following:-

- a) Why is the electronic beam allowed to overscan?
- b) Give the general expression for Bezier Bernstein polynomial.
- c) Perform a 45° rotation of a triangle A(0,0), B(1,1) and C(5,2) about origin.
- d) Give some real-time animation techniques.
- e) How do we determine whether a point P is inside or outside a volume?
- f) Why are hidden surface algorithms needed?
- g) Define computer animation?
- h) What are major drawbacks of scan conversion?
- i) Why are hidden surface algorithms needed?
- j) Differentiate between a window and viewport.

(10x1)

UNIT - I

- II. a) What are the advantages of plasma displays over Raster scan CRTs? Explain the construction and working of a plasma displays.
b) Compare the Raster scan system with random scan system. Why do we need a display processor?
(5,5)
- III. a) Describe the Sutherland polygon clipping algorithm with suitable example.
b) Reflect a polygon whose vertices are A(-1,0), B(0,-2), C(1,0) and D(0,2) about the horizontal lines $y=2$ the line $y=x+2$
(5,5)
- IV. a) Explain the Bresenham's circle generating algorithm.
b) Modify the boundary-fill algorithm for a 4-connected region to avoid excessive stacking by incorporating scan-line methods.
(5,5)

P.T.O.

(2)

UNIT - II

- V. a) Describe the one, two, three principal vanishing point perspective.
b) Derive the three dimensional transformation matrix for scaling an object by a scaling factors in a direction defined by the direction cosines. (5,5)
- VI. a) What is Z-buffer? What are the limitations of Z-buffer algorithm for hidden surface removal?
b) How animations work? Explain different rendering techniques. (5,5)
- VII. a) Write short notes on Bezier curves and their properties.
b) Let $P_0(0,0)$, $P_1(1,2)$, $P_2(2,1)$, $P_3(3,-1)$, $P_4(4,10)$, $P_5(5,5)$ be given data points if the interpolation based cubic B-splines is used to find the curve interpolation these data points find a knot set that can be used to define the cubic B-splines. (5,5)

x-x-x